

Uttar Pradesh State Load Despatch Centre, Lucknow Power Availability Report (MW)

Details of System Data (NET) for dated:

22-May-2020

Current Rihand Level: FT

Rihand Level on Previous Year Same Day:838.8 FT

Energy Content at this level:: MU

Energy Content at Last Year's level:102.8 MU

HR	UP Hydro	V.P +Alaknanda	Thermal	Co-Gen	Solar	ROZA	BEPL	Lalitpur	BARA	TANDA	LANCO	JP Churk	Meja	Total UP State Avail.	Total Import (excluding Tanda) + OD/UD	Load Met	EM. Rostering	RDM	Restrictions	UDM
1	300	421	3113	400	0	1098	40	618	1648	389	1110	30	527	9694	9023	18717	0	18717	0	18717
2	300	421	3113	400	0	1098	40	618	1648	389	1110	30	456	9623	8597	18220	0	18220	0	18220
3	300	421	3123	400	0	1098	40	618	1648	389	1056	30	456	9579	8590	18169	0	18169	0	18169
4	300	421	3133	400	0	1098	40	618	1648	389	1110	30	456	9643	8379	18022	0	18022	0	18022
5	246	401	3133	400	0	1098	40	618	1648	389	1017	30	456	9476	8308	17784	0	17784	0	17784
6	240	401	2503	400	0	604	40	340	1373	214	1066	30	340	7551	6779	14330	0	14330	430	14760
7	240	401	2503	400	0	603	40	340	1007	214	944	30	340	7062	5594	12656	0	12656	1150	13806
8	242	401	2503	400	0	603	40	340	1007	214	944	25	340	7059	5870	12929	0	12929	1300	14229
9	242	381	1426	400	0	768	40	340	1556	214	1110	25	340	6842	6290	13132	0	13132	1270	14402
10	244	463	1355	400	0	1098	40	340	1648	214	1110	23	340	7275	7021	14296	0	14296	1630	15926
11	239	458	1360	400	0	933	22	340	1648	214	1063	23	340	7040	7146	14186	0	14186	2010	16196
12	134	458	1627	400	0	1098	22	525	1648	214	1066	23	340	7555	7211	14766	0	14766	1880	16646
13	137	458	1644	400	0	1098	22	618	1648	214	1110	24	564	7937	7667	15604	0	15604	1260	16864
14	184	458	1760	400	0	1098	11	618	1648	389	1110	24	564	8264	7773	16037	0	16037	1310	17347
15	124	443	1867	400	0	1098	0	698	1221	389	1110	24	564	7938	7769	15707	0	15707	1440	17147
16	124	443	1917	400	0	1098	28	858	950	389	1110	24	564	7905	7887	15792	0	15792	1560	17352
17	148	462	1935	400	0	1098	40	1238	975	389	1110	30	564	8389	7652	16041	0	16041	1090	17131
18	207	492	1882	400	0	1098	40	1020	1165	214	1066	30	564	8178	7165	15343	0	15343	1490	16833
19	234	431	2175	400	0	1098	40	1577	1350	389	1017	14	559	9284	7336	16620	0	16620	1180	17800
20	244	451	2400	400	0	1098	40	1856	1490	389	1017	14	590	9989	9609	19598	0	19598	0	19598
21	254	451	2480	400	0	1098	40	1856	1648	389	1066	19	590	10291	10117	20408	0	20408	0	20408
22	300	451	2413	400	0	1098	40	1856	1648	389	1110	20	590	10315	10103	20418	0	20418	0	20418
23	250	451	2438	400	0	1098	40	1856	1648	389	1110	20	590	10290	10007	20297	0	20297	0	20297
24	284	451	2654	400	0	1098	40	1856	1648	389	1110	20	590	10540	9966	20506	0	20506	0	20506
MU	5.55	10.47	54.99	9.60	5.90	24.38	0.84	21.27	34.89	7.77	25.79	0.60	11.55	213.60	193.84	407.44	0.00	405.55	19.00	424.55
Min.	124	381	1355	400	0	603	0	340	950	214	944	14	340	6842	5594	12656	0	12656	0	13806
Max.	300	492	3133	400	0	1098	40	1856	1648	389	1110	30	590	10540	10117	20506	0	20506	2010	20506