

# Uttar Pradesh State Load Despatch Centre, Lucknow

## Power Availability Report (MW)

Details of System Data (NET) for dated:

29-Apr-2020

Current Rihand Level: FT

Rihand Level on Previous Year Same Day:839.2 FT

Energy Content at this level:: MU

Energy Content at Last Year's level:107.7 MU

HR	UP Hydro	V.P +Alaknanda	Thermal	Co-Gen	Solar	ROZA	BEPL	Lalitpur	BARA	TANDA	LANCO	JP Churk	Meja	Total UP State Avail.	Total Import (excluding Tanda) + OD/UD	Load Met	EM. Rostering	RDM	Restrictions	UDM
1	165	258	2537	600	0	823	22	0	1221	0	1017	0	0	6643	6052	12695	0	12695	0	12695
2	210	190	2135	600	0	823	22	0	1221	0	1017	0	0	6218	6205	12423	0	12423	0	12423
3	151	190	2160	600	0	823	22	0	1221	0	1017	0	0	6184	6127	12311	0	12311	0	12311
4	155	190	2160	600	0	823	40	0	1221	0	1017	0	0	6206	5910	12116	0	12116	0	12116
5	155	190	2024	600	0	823	22	0	1221	0	1107	0	0	6142	5448	11590	0	11590	0	11590
6	135	190	1907	600	0	452	22	0	672	0	1107	0	0	5085	4715	9800	0	9800	580	10380
7	98	190	1928	600	0	452	22	0	671	0	774	0	0	4735	2194	6929	0	6929	1560	8489
8	102	190	2038	600	0	452	22	0	671	0	611	0	0	4686	2808	7494	0	7494	1850	9344
9	102	272	1947	600	0	452	22	0	671	0	611	0	0	4677	4870	9547	0	9547	1550	11097
10	161	272	2257	600	0	452	22	0	671	0	1017	0	0	5452	5063	10515	0	10515	1510	12025
11	77	272	2017	600	0	452	22	0	671	0	611	0	0	4722	5150	9872	0	9872	1320	11192
12	79	272	1947	600	0	452	22	0	671	0	611	0	0	4654	5133	9787	0	9787	610	10397
13	79	272	2188	600	0	452	22	0	671	0	1017	0	0	5301	5153	10454	0	10454	1020	11474
14	75	272	2158	600	0	452	22	0	671	0	850	0	0	5100	4612	9712	0	9712	1130	10842
15	75	272	1987	600	0	452	22	180	671	0	611	0	0	4870	4608	9478	0	9478	1160	10638
16	70	190	2002	600	0	452	22	340	671	0	611	0	0	4958	4508	9466	0	9466	780	10246
17	75	190	1912	600	0	452	22	340	671	0	611	0	0	4873	4398	9271	0	9271	650	9921
18	80	199	1611	600	0	452	22	340	671	0	611	0	0	4586	4989	9575	0	9575	1720	11295
19	75	209	2443	600	0	576	28	433	854	0	944	0	0	6162	5815	11977	0	11977	1560	13537
20	55	209	2895	600	0	823	40	618	1221	0	1017	0	0	7478	6614	14092	0	14092	0	14092
21	205	219	2850	600	0	823	40	618	1221	0	1017	0	0	7593	6590	14183	0	14183	0	14183
22	235	219	2833	600	0	823	40	618	1221	0	1107	0	0	7696	5877	13573	0	13573	0	13573
23	215	289	2853	600	0	823	40	618	1221	0	1107	0	0	7766	5468	13234	0	13234	0	13234
24	235	289	2863	600	0	823	40	618	1221	0	1062	0	0	7751	4993	12744	0	12744	0	12744
<b>MU</b>	<b>3.05</b>	<b>5.44</b>	<b>53.57</b>	<b>14.40</b>	<b>5.70</b>	<b>14.64</b>	<b>0.65</b>	<b>4.50</b>	<b>21.89</b>	<b>0.00</b>	<b>21.21</b>	<b>0.00</b>	<b>0.00</b>	<b>145.05</b>	<b>131.30</b>	<b>276.35</b>	<b>0.00</b>	<b>273.32</b>	<b>18.00</b>	<b>291.32</b>
Min.	55	190	1611	600	0	452	22	0	671	0	611	0	0	4586	2194	6929	0	6929	0	8489
Max.	235	289	2895	600	0	823	40	618	1221	0	1107	0	0	7766	6614	14183	0	14183	1850	14183